

LITERA NEXT-GENERATION TERRAZZO





ABOUT ANTMAR

Antmar is a young and dynamic company specialized in sourcing Turkish Natural Stone products including tiles, slabs, mosaics together with custom decorative accents and architectural project elements.

Antmar Team and Philosophy in Summary:

- In-depth stone expertise, quarrying and processing know-how together with global stone market intelligence.
- A refined and rich product portfolio encompassing essentials, value products as well as exquisite items on the innovative and creative frontier.
- Well developed knowledge of stone marketing and distribution. Experience and skill set to serve the different merchandising and packaging needs of various channels including big box retailers, distributors, chain stores and independent players.
- Sourcing network of specialized, adept and dependable manufacturers dispersed across the country according to the mineral reserves.
- Team of experienced and expert engineers who carry out a through and systematic product inspection at production site to accomplish quality assurance and standardization.
- Operate own warehouse enabling us to custom package and consolidate goods on a crate or pallet level.


Highlighted aspects of our system synthesize Antmar value proposition:

- COST-EFFECTIVENESS
- PRODUCT VARIETY
- QUALITY
- SERVICE

Antmar customers enjoy a seamless and reliable supply of a large variety of competitive and innovative natural stone products with Antmar orchestrating the quality control, logistics and export operations.

Featured family of high performance terrazzo product has been developed through years of experience and R&D. Vibrant colors and texture of terrazzo surfaces now available in tile, mosaic and slab format with superior technical advantages:

- Available in 3/8" (1 cm) thick tiles due to high compressive and bending strength
- Endurance and sealing performance mimics natural stone
- Full body material, suitable for wet re-polishing after installation
- High ph. value prevents virus and bacteria formation, preserves surface hygiene
- No dusting in storage long storage and shelf life
- Cement based product with no epoxy or polyurethane ingredient
- No UV reaction based deformation or color change
- No negative effect on interior air quality





Light Grey



Military



Gemstone



Arctic





Fume



Shadow Black







Suitable for interior and exterior

Comparing with the other artificial stone, it can be directly used in exterior wall dry hanging and outside public spaces, such as business street, passageway and water side

Unlimited colot and design option

We can incorporate a wide variety of both conventional and innovative aggregate materials with unlimited color. It gives designers and architects a range of options.

Class Aflammability rating


Anti-fire performance has reached class A1, the highest standing for building products

Resistance to color fading

Under day-to-day usage conditions, they will also retain their original beauty for a long term.

Ease for installation

In construction, it can be directly paved with cement and with special adhesive.



Technical Specifications

| | Test Result | Requirement | Product Performance | Measurement/ Unit | Standard |
|----------------------|----------------|-------------------------|---------------------|---|-------------------|
| Water Absorption | 0,125 4,10% | max 0,4 g/cm2 max %8 | < 0,3g/cm2 < %5 | Capillary Water Absortion, W24h,g/cm2(Average) Total Water Absorption, Wma, % (Average) | TS213-1 EN13748-1 |
| Abrasion Resistance | 19,6 | max 20 cm3 | < 20 cm/50cm2 | Abrasion Loss, cm3/50 (Average) | TS213-1 EN13748-1 |
| Flextural Strength | 11,3 | min 5MPa | > 6,5 MPa | Flexural Strength, MPa (Average) | TS213-1 EN13748-1 |
| Compressive Strength | 113,7 115,9 | min 70MPa | >70MPa | 7 Days Compressive Strength Test, MPa (Average) 28 Days Compressive Strength Test, MPa (Average) | TS EN12390-3 |

WAREHOUSE OFFICE