


EXTERA

PAVING & POOL COPING



2025 OUTDOOR RANGE

ABOUT ANTMAR

Antmar is a young and dynamic company specialized in sourcing Turkish Natural Stone products including tiles, slabs, mosaics together with custom decorative accents and architectural project elements.

Antmar Team and Philosophy in Summary:

- In-depth stone expertise, quarrying and processing know-how together with global stone market intelligence.
- A refined and rich product portfolio encompassing essentials, value products as well as exquisite items on the innovative and creative frontier.
- Well developed knowledge of stone marketing and distribution. Experience and skill set to serve the different merchandising and packaging needs of various channels including big box retailers, distributors, chain stores and independent players.
- Sourcing network of specialized, adept and dependable manufacturers dispersed across the country according to the mineral reserves.
- Team of experienced and expert engineers who carry out a thorough and systematic product inspection at production site to accomplish quality assurance and standardization.
- Operate own warehouse enabling us to custom package and consolidate goods on a crate or pallet level.

Highlighted aspects of our system synthesize Antmar value proposition:

- COST-EFFECTIVENESS
- PRODUCT VARIETY
- QUALITY
- SERVICE

Antmar customers enjoy a seamless and reliable supply of a large variety of competitive and innovative natural stone products with Antmar orchestrating the quality control, logistics and export operations.


PEARL



PAVERS



24" x 24" x 1 1/4"
60 x 60 x 3 cm
Satin Pro



24" x 16" x 1 1/4"
60 x 40 x 3 cm
Satin Pro




16" x 16" x 1 1/4"
40 x 40 x 3 cm
Satin Pro

PEARL



POOL COPING



12" x 24" x 1 1/4"
29,6 x 60 x 3 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Copping 3" Face 7,5 cm
Rounded Edge Satin Pro



12" x 24" x 2"
29,6 x 60 x 5 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Copping 4" Face 10 cm
Rounded Edge Satin Pro

MIST




PAVERS



24" x 24" x 1 1/4"
60 x 60 x 3 cm
Satin Pro




24" x 16" x 1 1/4"
60 x 40 x 3 cm
Satin Pro




16" x 16" x 1 1/4"
40 x 40 x 3 cm
Satin Pro

MIST



POOL COPING



12" x 24" x 1 1/4"
29,6 x 60 x 3 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Coping 3" Face 7,5 cm
Rounded Edge Satin Pro



12" x 24" x 2"
29,6 x 60 x 5 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Coping 4" Face 10 cm
Rounded Edge Satin Pro

URBAN GREY



PAVERS



24" x 24" x 1 1/4"
60 x 60 x 3 cm
Satin Pro



24" x 16" x 1 1/4"
60 x 40 x 3 cm
Satin Pro




16" x 16" x 1 1/4"
40 x 40 x 3 cm
Satin Pro


URBAN GREY




POOL COPING




12" x 24" x 1 1/4"
29,6 x 60 x 3 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Coping 3" Face 7,5 cm
Rounded Edge Satin Pro



12" x 24" x 2"
29,6 x 60 x 5 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Coping 4" Face 10 cm
Rounded Edge Satin Pro

BRANDY



PAVERS



24" x 24" x 1 1/4"
60 x 60 x 3 cm
Satin Pro



24" x 16" x 1 1/4"
60 x 40 x 3 cm
Satin Pro




16" x 16" x 1 1/4"
40 x 40 x 3 cm
Satin Pro

BRANDY




POOL COPING




12" x 24" x 1 1/4"
29,6 x 60 x 3 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Coping 3" Face 7,5 cm
Rounded Edge Satin Pro



12" x 24" x 2"
29,6 x 60 x 5 cm
Rounded Edge Satin Pro



12" x 24" x 1 1/4" 30 x 60 x 3 cm
Remodel Coping 4" Face 10 cm
Rounded Edge Satin Pro

PEARL




Satin Pro

MIST



Satin Pro

URBAN GREY



Satin Pro

BRANDY



Satin Pro

TECHINICAL DATA SHEET

EXTERA PRECAST TERRAZZO – PAVING PRODUCT RANGE: THICKNESS 2 CM

TECHNICAL PROPERTES	STANDARD	STANDARD REQUIREMENT	TEST RESULTS
Density (Kg/dm ³)	EN 14617	-	2.2 – 2.5
Water absorption (%)	EN 13748	Max. 8	Max. 4.5
Flexural strength (MPa)	EN 13748	Min. 5	Min. 7
Compressive strength (MPa)	EN 14617	-	60
Frost resistance	EN ISO 10545-12	-	Class 2B
Slip resistance (USRV)	EN 13748	-	Min. 40
Abrasion resistance (cm ³ /50 cm ²)	EN 13748	Max. 15	14
Reaction to fire	EN 13748	-	A1

WAREHOUSE

ISTIKLAL MAH. 9140 SK.
ULUCAK / KEMALPASA / IZMIR/ TURKEY
P:+90 530 505 55 22

www.antmarble.com

OFFICE

553 SOKAK NO:5/1 BORNOVA
35040 IZMIR/ TURKEY
P:+90 232 388 55 88